

Vylon Plus



HOMOGENEOUS FLOORCOVERING

VINYL



- > Versatile flooring
- > Harmonious and fresh colours
- > Tough and durable
- > PUR surface treatment





The versatile solution

Vylon Plus is a range of homogeneous floorcovering that is extremely versatile and delivers good value for money. The subtle pattern and wide, refreshed colour collection make this flooring a popular choice when creating interiors for supporting everyday activities.

Vylon Plus is equipped with PUR surface for easier initial maintenance. The coating also provides a better base for future maintenance with wax or polish. Vylon Plus is recommended for use in areas such as schools, shops, healthcare facilities, social housing and other similar areas.





3091 534
3090 534
3089 534



3091 533
3090 533
3089 533



3091 532
3090 532
3089 532



3091 535
3090 535
3089 535



3091 531
3090 531
3089 531



3091 542
3090 542
3089 542



3091 543
3090 543
3089 543



3091 544
3090 544
3089 544



3091 545
3090 545
3089 545



3091 546
3090 546
3089 546



3091 547
3090 547
3089 547



3091 548
3090 548
3089 548



3091 549
3090 549
3089 549



3091 551
3090 551
3089 551



3091 550
3090 550
3089 550



3091 541
3090 541
3089 541



3091 540
3090 540
3089 540



3091 539
3090 539
3089 539



3091 552
3090 552
3089 552



3091 536
3090 536
3089 536




3091 537
3090 537
3089 537



3091 538
3090 538
3089 538

Tarkett's Balanced Choice

Vylon Plus is part of Tarkett's choice of sustainable solutions, an integrated system that allows for balancing all the competing needs, while making choices that are truly sustainable and work together aesthetically.



BETTER MATERIALS

Where we can use renewable resources, we do



RESOURCE STEWARDSHIP

Using fewer resources is good for the environment and the bottom line




PEOPLE-FRIENDLY SPACES

We make floors that help people work, play, shop, heal and learn better



REUSE AND RECYCLE

We find ways to use more recycled content at the start and recycle more product at the end



According to European Classification EN 685

Vylon Plus

DESCRIPTION

Vylon Plus is a homogeneous vinyl floorcovering suitable for use in commercial areas. Available in sheet and tile form. A versatile pattern in 22 fresh colourways. Vylon Plus is equipped with PUR surface for protection and easier initial maintenance. The PUR also provides a better base for future maintenance procedures.

Technical data		Vylon Plus
Type of flooring	EN 649	Homogeneous single layered vinyl flooring
CE certification		Yes
Classification	EN 685	Commercial: 34 Industrial: 43
Wear layer thickness	EN 429	2,0 mm
PUR		Yes
Total thickness	EN 428	2,0 mm
Total weight/m ²	EN 430	3700 g
Dimensional stability	EN 434	≤ 0,40 % for rolls ≤ 0,25 % for tiles
Abrasion		
Thickness loss	EN 660: Part 1	Group M: ≤ 0,30 mm
Volume loss	EN 660: Part 2	Group M: ≤ 7,5 mm ³
Residual indentation	EN 433	Approx. 0,06 mm
Castor chair test	EN 425	Suitable
Static electrical charge	EN 1815	< 2 kV
Underfloor heating		Suitable – max. 27 °C
Impact sound resistance	EN ISO 717/2	Approx. + 4 dB
Thermal resistance	EN 12667/DIN 52612	Approx. 0,01 m ² K/W
Reaction to fire	EN 13501-1 EN ISO 9239-1 EN ISO 11925-2	Class B _s s1 ≥ 8 kW/m ² Pass
Light fastness	EN ISO 105-B02	≥ level 6
Chemical resistance	EN 423	Good resistance
Fungi and Bacteria resistance	DIN EN 846-A/C	Does not favour growth
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0,3
Colours		22
Form of delivery	EN 426 Sheet (rolls) EN 427 Tiles (box)	Approx. 20 r m x 200 cm art. no. 3091__ __ 3 digit colour number 61 x 61 cm 16 tiles/box=5,95 m ² art. no. 3090__ __ 3 digit colour number 30,0 x 30,0 cm 50 tiles/box=4,5 m ² art. no. 3089__ __ 3 digit colour number

NCS CODES AND WELDING RODS	
Colour N°	Welding rod N°
531	1288 125
532	1287 064
533	1287 086
534	1292 459
535	1287 027
536	1287 062
537	1287 105
538	1287 209
539	1287 188
540	1287 070
541	1291 683
542	1287 211
543	1287 078
544	1287 426
545	1287 174
546	1292 373
547	1287 258
548	1287 199
549	1288 359
550	1287 332
551	1287 099
552	1287 262

The above information is subject to modification for the benefit of further improvement (12/08).

For more detailed technical information, please contact Tarkett.

Please follow Tarkett's installation and maintenance instructions, included on the packaging, carefully.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. 01 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 16 35 98 80 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 60 95 68 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett France – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 51 3363/4 > **Netherlands:** Tarkett Nederland – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Wykładziny Sp. z o.o. – Tel. +48 22 639 31 66 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. ++421 34 774 12 09 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **United Kingdom:** Tarkett Ltd – Tel. +44 (0) 1622 854 040 > **North America:** Johnsonite – Tel. +1 440 543 8916 • Tarkett Inc. USA – Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 1 41 20 41 01

